INDEX OF AUTHORS

ADAM, K. M. G. The quantity and distribution of the ciliate Protozoa in the large intestine of the horse. (With 4 Figures in the Text), 301

ARTHUR, D. R. The bionomics of *Ixodes hexagonus* Leach in Britain. (With 6 Figures in the Text), 82

ARTHUR, D. R. The capitulum and feeding mechanism of *Ixodes hexagonus* Leach. (With 16 Figures in the Text), 66

BISHOP, ANN and MCCONNACHIE, ELSPETH W. The inhibition by *p*-aminobenzoic acid of the development of paludrine-resistance as produced by sulphonamides in *Plasmodium gallinaceum*, 105

COLE, H. A. and SAVAGE, R. E. The effect of the parasitic copepod, *Mytilicola intestinalis* (Steuer) upon the condition of mussels. (With 3 Figures in the Text), 156

CREWE, W. The occurrence of *Cercaria patellae* Lebour (Trematoda) and its effects on the host; with notes on some other helminth parasites of British limpets. (With Plate II and 6 Figures in the Text), 15

DAUBNEY, R. and SAID, M. SAMI. Egyptian fever of cattle. The transmission of *Theileria annulata* (Dschunkowsky & Luhz, 1904) by *Hyalomma excavatum* Koch. 1844. (With 7 Figures in the Text), 249

DOUGHERTY, ELLSWORTH C. A further revision in the classification of the family Metastrongylidae Leiper [1909] (Phylum Nematoda). (With 1 Figure in the Text), 91

FELDMAN-MUHSAM, B. On the longevity of fasting ticks, *Hyalomma savignyi* Gerv. (With 1 Figure in the Text), 63

FILES, VIRGINIA S. A study of the vector-parasite relationships in *Schistosoma mansoni*. (With 1 Figure in the Text), 264

GERICHTER, CH. B. Studies on the lung nematodes of sheep and goats in the Levant. (With Plate III and 48 Figures in the Text), 166

GERICHTER, CH. B. Two new lung nematodes from Near-East mammals. (With 19 Figures in the Text), 184

GIBBS, ALFRED J. *Leptomonas capsularis* n.sp. and other flagellates parasitic in *Cletus ochraceus* (Hemiptera). (With 19 Figures in the Text), 128

GNANAMUTHU, C. P. *Lernaea chackoensis* n.sp.: a copepod parasitic on two Madras fishes. (With 8 Figures in the Text), 143

GNANAMUTHU, C. P. Notes on the life history of a parasitic copepod, *Lernaea chackoensis*. (With 32 Figures in the Text), 148

GORDON, ANN R. On the male of *Ascarophis morrhuae* van Beneden. (With 3 Figures in the Text), 261

GRAINGER, J. N. R. Notes on the biology of the copepod *Mytilicola intestinalis* Steuer. (With 6 Figures in the Text), 135

HEATH, G. B. S. The sheep tick, *Ixodes ricinus* L. Eradication by dipping sheep, 209

HIERNAUX-L'HOËST, D. *See* VAN RIEL, J.

HIERNAUX-L'HOËST, J. *See* VAN RIEL, J.

HOPKINS, C. A. and SMYTH, J. D. Notes on the morphology and life history of *Schistocephalus solidus* (Cestoda: Diphyllobothriidae). (With Plate V and 17 Figures in the Text), 283

JOHRI, L. N. On avian cestodes of the family Dilepididae Fuhrmann 1907, collected in Burma. (With 6 Figures in the Text), 11

JONES, B. M. The growth of the harvest mite, *Trombicula autumnalis* Shaw. (With 11 Figures in the Text), 229

JONES, T. W. TYSSUL. A new monostome cercaria from bithynoid snails in Singapore. (With 4 Figures in the Text), 312

LEECH, F. B. and SPENCE, T. Immunity and metabolic rate: the course of notoedric scabies in rats with different metabolic rates. (With 2 Figures in the Text), 224

LEES, A. D. and MILNE, A. The seasonal and diurnal activities of individual sheep ticks (*Ixodes ricinus* L.). (With 6 Figures in the Text), 189

MCCONNACHIE, ELSPETH W. Latent infections in avian malaria in relation to the production of drug-resistance, 110

MCCONNACHIE, ELSPETH W. *See* BISHOP, ANN

MACFARLANE, W. V. The life cycle of *Stegodexamene anguillae* n.g., n.sp., an allocreadiid trematode from New Zealand. (With Plate I and 16 Figures in the Text), 1

MARYON, M. *See* SHUTE, P. G.

MILNE, A. *See* LEES, A. D.

RADFORD, CHARLES D. Five new species of mites (Acarina) parasitic on bats (Chiroptera). (With 14 Figures in the Text), 97

RADFORD, CHARLES D. Two new genera of parasitic mites (Acarina: Laelaptidae and Listrophoridae). (With 3 Figures in the Text), 102

REES, GWENDOLEN. The anatomy of *Cysticercus taeniae-taeniaeformis* (Batsch 1786) (*Cysticercus fasciolaris* Rud. 1808), from the liver of *Rattus norvegicus* (Erx.), including an account of spiral torsion in the species and some minor abnormalities in structure. (With 32 Figures in the Text), 46

SANDON, H. *Pentastoma gracile* (Linguatulidae) as a human parasite. (With 4 Figures in the Text), 60

SAID, M. SAMI. *See* DAUBNEY, R.

SARWAR, M. M. Occurrence of *Globidium gilruthi*, a protozoon parasite of sheep and goats, from the Indo-Pakistan sub-continent, 282

SAVAGE, R. E. *See* COLE, H. A.

SHUTE, P. G. and MARYON, M. Studies in the transmission of *Plasmodium malariae* by *Anopheles* mosquitoes. (With 1 Figure in the Text), 292

SMYTH, J. D. *See* HOPKINS, C. A.

SPENCE, T. *See* LEECH, F. B.

SUBHAPRADHA, C. K. *Vallisiopsis contorta* n.g. and n.sp. and *Gastrocotyle indica* n.sp., monogenetic trematodes from marine fishes of the Madras coast. (With 11 Figures in the Text), 162

TATE, P. Antagonism of *Spirillum minus* infection in rats towards *Trypanosoma lewisi* and *T. equinum*, 117

VAN RIEL, J. and HIERNAUX-L'HOËST, D. and J. Description of a plasmodium found in a bat, *Roussettus leachi*. (With Plate IV), 271

WHITTINGTON, M. JOAN. Observations upon a trichomonad (Protozoa: Mastigophora) from the gut of the snake, *Vipera ammodytes* L. (With 13 Figures in the Text), 274

WILSON, S. G. An experimental study of East Coast fever in Uganda. III. A study of the East Coast fever reactions produced when infected ticks 31 days old are fed on susceptible calves in limited numbers over a period of 3 weeks. (With 19 Figures in the Text), 23

WILSON, S. G. An experimental study of East Coast fever in Uganda. IV. A study of the East Coast fever reactions produced when infected ticks 171 days old were fed on susceptible calves in limited numbers over a period of 3 weeks. (With 13 Figures in the Text), 36

INDEX OF SUBJECTS

Acarina, parasitic on bats, five new species of, 97
Acarina, two new genera of parasitic mites, 102
Activities, seasonal and diurnal, of individual sheep ticks, 189
Allocreadiid, trematode, life cycle of *Stegodexamene anguillae*, 1
Anopheles mosquitoes, the transmission of *Plasmodium malariae* by, 292
Antagonism of *Spirillum minus* in rats towards *Trypanosoma lewisi* and *T. equinum*, 117
Ascarophis morrhuae van Beneden, on the male of, 261
Avian cestodes, from Burma, 11
Avian malaria, latent infections in relation to production of drug-resistance in, 110

Bat, *Roussettus leachi*, a Plasmodium of, 271
Bats (Chiroptera), mites parasitic on, 97
Britain, bionomics of *Ixodes hexagonus* in, 82
British limpets, helminth parasites of, 15

Cercaria, a new Monostome, 312
Cercaria patellae Lebour (Trematoda), occurrence of, and its effect on the host; with notes on some other helminth parasites of British limpets, 15
Cestoda, Diphyllobothriidae, *Schistocephalus solidus*, morphology and life history of, 283
Cestodes, on avian, of the family Dilepididae Fuhrmann 1907, collected in Burma, 11
Chiroptera, bats, mites parasitic on, 97
Ciliate Protozoa, quantity and distribution of, in the large intestine of the horse, 301
Cletus ochraceus (Hemiptera), flagellates parasitic in, 128
Copepod, *Lernaea chackoensis*, n.sp., 143
Copepod, *Lernaea chackoensis*, life history of, 148
Copepod, *Mytilicola intestinalis*, biology of, 135
Copepod, *Mytilicola intestinalis*, effect of, upon the condition of mussels, 156
Cysticercus taeniae-taeniaeformis (Batsch 1786) (*Cysticercus fasciolaris* Rud. 1808) from the liver of *Rattus norvegicus* Erx.), 46

Dilepididae Fuhrman 1907, avian cestodes of the family, 11
Diphyllobothriidae, on the morphology and life history of *Schistocephalus solidus*, 283

East Coast fever in Uganda, studies on, 23, 36
Egyptian fever of cattle, 249

Fishes, a copepod parasitic on two Madras, 143
Fishes, marine of the Madras coast, monogenetic trematodes from, 162

Gastrocotyle indica, n.sp., from marine fishes of the Madras coast, 162
Globidium gilruthi, of sheep and goats, from the Indo-Pakistan sub-continent, occurrence of, 282
Goat, lung nematodes of, in the Levant, 166
Goats, *Globidium gilruthi*, a parasite of, 282

Harvest mite, *Trombicula autumnalis*, the growth of, 229
Horse, ciliate Protozoa, from the large intestine of, 301
Hyalomma excavatum Koch 1844, the transmission of *Theileria annulata* by, 249
Hyalomma savignyi Gerv., longevity of fasting, 63

Immunity and metabolic rate; the course of notoedric scabies in rats with different metabolic rates, 224
Indo-Pakistan sub-continent, occurrence of *Globidium gilruthi* in, 282
Inhibition by *p*-aminobenzoic acid of the development of paludrine-resistance as produced by sulphonamides in *Plasmodium gallinaceum*, 105
Ixodes hexagonus Leach, bionomics of, in Britain, 82
Ixodes hexagonus Leach, the capitulum and feeding mechanism of, 66
Ixodes ricinus L., seasonal and diurnal activities of sheep ticks, 189
Ixodes ricinus L., the sheep tick, eradication by dipping sheep, 209

Laelaptidae, parasitic mites, 102
Latent infections in avian malaria in relation to the production of drug-resistance, 110
Leptomonas capsularis n.sp. and other flagellates parasitic in *Cletus ochraceus* (Hemiptera), 128
Lernaea chackoensis n.sp.: a copepod parasitic on two Madras fishes, 143
Lernaea chackoensis n.sp., notes on the life history of a parasitic copepod, 148
Levant, lung nematodes of sheep and goats in the, 166
Limpets, British, helminth parasites of, 15
Linguatulidae, *Pentastoma gracile*, a human parasite, 60
Listrophoridae, parasitic mites, 102
Longevity of fasting ticks, *Hyalomma savignyi* Gerv., 63
Lung nematodes from Near East mammals, two new, 184
Lung nematodes of sheep and goats in the Levant, studies on the, 166

Madras coast, marine fishes of, monogenetic trematodes from, 162
Madras fishes, *Lernaea chackoensis*, a copepod parasitic in two, 143
Metastrongylidae Leiper (1909) (Phylum Nematoda), a further revision in the classification of the family, 91
Mite, the harvest, *Trombicula autumnalis*, growth of, 229
Mites (Acarina), five new species of, parasitic on bats (Chiroptera), 97
Monogenetic trematodes, *Vallisiopsis contorta*, n.g. and n.sp., and *Gastrocotyle indica* n.sp., 162
Monostome cercaria, a new, from bithynoid snails in Singapore, 312
Mussels, effect of *Mytilicola intestinalis* upon the condition of, 156
Mytilicola intestinalis Steuer, notes on the biology of the copepod, 135
Mytilicola intestinalis Steuer, the effect of the parasitic copepod, upon the condition of mussels, 156

Near-East mammals, two new lung nematodes from, 184
Nematoda, revision in the classification of the family Metastrongylidae Leiper (1909), 91
Nematodes, lung, of sheep and goats in the Levant, 166
Nematodes, two new lung, from Near East mammals, 184
New Zealand, *Stegodexamene anguillae* from, 1

Paludrine-resistance, produced by sulphonamides in *Plasmodium gallinaceum*, 105
Parasitic mites (Acarina: Laelaptidae and Listrophoridae), two new genera of, 102
Pentastoma gracile (Linguatulidae) as a human parasite, 60
Plasmodium, description of a, found in a bat, *Roussettus leachi*, 271
Plasmodium gallinaceum, inhibition by *p*-aminobenzoic acid of the development of paludrine-resistance as produced by sulphonamides in, 105
Plasmodium malariae, studies in the transmission of, by *Anopheles* mosquitoes, 292
Protozoa, ciliate, in large intestine of horse, 301
Protozoa: Mastigophora, a trichomonad from the gut of the snake *Vipera ammodytes* L., 274
Protozoon, *Globidium gilruthi*, a parasite of sheep and goats, 282

Rats, antagonism of *Spirillum minus* in, towards *Trypanosoma lewisi* and *T. equinum*, 117
Rats, notoedric scabies in, 224
Rattus norvegicus (Erx.), *Cysticercus taeniae-taeniaeformis*, from the liver of, 46
Roussettus leachi, description of a plasmodium found in a bat, 271

Scabies, notoedric, in rats with different metabolic rates, 224
Schistocephalus solidus (Cestoda: Diphyllobothriidae), notes on the morphology and life history of, 283
Schistosoma mansoni, a study of the vector-parasite relationships in, 264
Seasonal and diurnal activities of individual sheep ticks (*Ixodes ricinus* L.), 189
Sheep, *Globidium gilruthi*, a parasite of, 282
Sheep, lung nematodes of, in the Levant, 166
Sheep ticks, diurnal activities of, 189
Sheep tick, eradication by dipping, 209
Singapore, monostome cercaria, from bithynoid snails in, 312
Snails, monostome cercaria in, from Singapore, 312
Snake, a trichomonad from the gut of *Vipera ammodytes* L., 274
Spirillum minus infection in rats towards *Trypanosoma lewisi* and *T. equinum*, antagonism of, 117
Stegodexamene anguillae n.g., n.sp., life cycle of, an allocreadiid trematode from New Zealand, 1
Sulphonamides, inhibition of development of paludrine-resistance produced by, 105

Theileria annulata, transmission by *Hyalomma excavatum*, 249
Trematode, life cycle of an allocreadiid, 1
Trematodes, *Cercaria patellae* Lebour, of British Limpets, 15
Trematodes, monogenetic, *Vallisiopsis contorta*, n.g. and n.sp., and *Gastrocotyle indica*, 162
Trichomonad (Protozoa: Mastigophora), observations upon a, from the gut of the snake *Vipera ammodytes* L., 274
Trombicula autumnalis Shaw, the growth of the harvest mite, 229
Trypanosoma lewisi and *T. equinum*, antagonism of *Spirillum minus* infection in rats towards, 117

Uganda, East Coast fever in, 23

Vallisiopsis contorta n.g. and n.sp., and *Gastrocotyle indica* n.sp., monogenetic trematodes from marine fishes of the Madras coast, 162
Vipera ammodytes L., observations upon a trichomonad (Protozoa: Mastigophora) from the gut of the snake, 274